

32 inch WALL Mount Non-Touch A9 DSS 2GB/ 16GB T291094-A



FEATURES

- Web Based Interface
- Full HD Display Panel
- Portrait & Landscape Installation
- Mobile application Based Content push Over the local Wi-Fi Network

Cloud Based Content Management Software

- Variable Materials
 - Static and dynamic materials, including pictures, Audio, Video, Scrolling Subtitle, PDF, Webpage, Live Video, pop-up pictures, etc.
- Flexible Program Schedule
 - Free schedule and district display of multiple material.
 - Multiple play modes with customization support.
- Centralized Management
 - Remotely control and manage one or more screens, such as timed startup/shutdown, quick startup/shutdown, brightness/volume timed adjustment, and screenshot preview.
 - Remote program release and local (USB) program update.
- Organization Permission
 - 5-level organization available for managing materials, programs, terminals, and users.
 - Create custom user with precise permission assignment. Multiple permission templates available.
- Multiple Security Safeguards
 - 3-level check of materials, programs, and schedules to prevent mistake release. Screen saver password to protect displaying.
 - Encryption of data storage and transmission to avoid data tampering.
 - With no default password, users can activate and set initial password to guarantee the password safety.
 - DSS Management Software to manage <2000pcs DSS Players



Android 9.0
Version



HD



Viewing
Angle



Android
OS



Remote
Access



Power
Saving



Mobile
Data Push

Technical Specification

DISPLAY

Diagonal Size	32 inch
Resolution	1366 x 768
Display Orientation	Landscape or Portrait
Screen Type	TFT LCD (E-LED Backlight)
Aspect Ratio	16:9
Display Area	697.68mm (V) × 392.26mm (H)
LCD Viewing Angle	178°
LCD Refresh Rate(Panel)	≤ 8.5ms
LED Lifespan	50,000hours,
Working Hours	16x7 Hrs
Contrast Ratio	4000:1 (Typ)
Brightness	≥ 350cd/m ² ±10%

COMPUTING

Android OS	9
RAM	2GB
Internal Storage	16GB
CPU	Hi352,Quad core, 32Bit, Cortex-A53 CPU,2.30GHz
GPU	ARM MaliTM-450
OSD Language	English, Hindi And Other Languages
Video Format	Supports H.264/MVC/MPEG1/MPEG2/MPEG4/AVS+(AVS-P16)/VC-1/VP6/8 "1080P@60fps Video decoding; support, VP9 10bit, FHD@60fps
Audio Format	Video decoding; Supports low latency video decoding
	MPEG L1/L2;MP3;AAC_LC;HE_AACV2;LPCM;APE ; FLAC ; Ogg ;
	AMR-NB/WB ; G.711
Picture Format	Supports JPEG hardware decoding, with a maximum support of 64 million pixels; Support
	"MJPEG Baseline decoding; Supported formats: 400/420/411/422/ 422T/444"

I/O PORT

RJ45	1
HDMI IN	1
USB	2 (USB2.0)

AUDIO

Dual Speakers 2 X 5W

NETWORK

LAN in(RJ45)	10/100Mbps
Wake-on-LAN	Yes
Wi-Fi	IEEE802.11a/b/g, 2.4G

POWER

Power Requirements	100V~240V AC, 50/60Hz
Power Consumption	≤ 55W
Power Consumption(Standby)	≤ 0.5W
Ultra-Quiet Fanless Design	Yes

ENVIROMENTAL

Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-10° to 60°C (-5°F to 131°F)
Operating Humidity	20% to 85% non-condensing humidity
Storage Humidity	10% to 60% non-condensing humidity


PHYSICAL SPECIFICATIONS

Product Dimension	Body:739 (W) x 435 (H) x 72.1 (D)mm Without wall mount bracket
Gross Weight	4.3kg

PACKED CONTENTS

Accessories	1 x Remote Controller, 1 x Wall Mount Bracket, 1 x Power Cable (Fixed With Device)
-------------	--

TECHNICAL DIAGRAM :



* Note: we will not inform the modify or upgrade of products.

Unit:mm