

# 43 inch WALL Mount Non-Touch A9 DSS 2GB/ 16GB T291095-A



## FEATURES

- Web Based Interface
- Full HD Display Panel
- Portrait & Landscape Installation
- Mobile application Based Contain push Over the local Wi-Fi Network

## Cloud Based Content Management Software

- Variable Materials
  - Static and dynamic materials, including pictures, Audio, Video, Scrolling Subtitle, PDF, Webpage, Live Video, pop-up pictures, etc.
- Flexible Program Schedule
  - Free schedule and district display of multiple material.
  - Multiple play modes with customization support.
- Centralized Management
  - Remotely control and manage one or more screens, such as timed startup/shutdown, quick startup/shutdown, brightness/volume timed adjustment, and screenshot preview.
  - Remote program release and local (USB) program update.
- Organization Permission
  - 5-level organization available for managing materials, programs, terminals, and users.
  - Create custom user with precise permission assignment. Multiple permission templates available.
- Multiple Security Safeguards
  - 3-level check of materials, programs, and schedules to prevent mistake release. Screen saver password to protect displaying.
  - Encryption of data storage and transmission to avoid data tampering.
  - With no default password, users can activate and set initial password to guarantee the password safety.
  - DSS Management Software to manage <2000pcs DSS Players



Android 9.0  
Version



HD



Viewing  
Angle



Android  
OS



Remote  
Access



Power  
Saving



Mobile  
Data Push

## Technical Specification

### DISPLAY

Diagonal Size	43 inch
Resolution	1920 x 1080
Display Orientation	Landscape or Portrait
Screen Type	TFT LCD (E-LED Backlight)
Aspect Ratio	16:9
Display Area	940.89mm (V) X 529.25mm (H)
LCD Viewing Angle	178°
LCD Refresh Rate(Panel)	≤8.5ms
LED Lifespan	50,000* hours,
Working Hours	16x7 Hrs
Contrast Ratio	4000:1 (Typ)
Brightness	≥350cd/m <sup>2</sup> ±10%

## COMPUTING

Android OS	9
RAM	2GB
Internal Storage	16GB
CPU	Hi352,Quad core, 32Bit, Cortex-A53 CPU,2.30GHz
GPU	ARM MaliTM-450
OSD Language	English, Hindi And Other Languages
Video Format	Supports H.264/MVC/MPEG1/MPEG2/MPEG4/AVS+(AVS-P16)/VC-1/VP6/8 "1080P@60fps Video decoding; support, VP9 10bit, FHD@60fps Video decoding; Supports low latency video decoding
Audio Format	MPEG L1/L2;MP3;AAC_LC;HE_AACV2;LPCM;APE ; FLAC ; Ogg ; AMR-NB/WB ; G.711
	Supports JPEG hardware decoding, with a maximum support of 64 million pixels; Support
Picture Format	"MJPEG Baseline decoding; Supported formats: 400/420/411/422/ 422T/444"

## INPUT PORT

RJ45	1
HDMI IN	1
USB	2 (USB2.0)

## AUDIO

Dual Speakers 2 X 5W

## NETWORK

LAN in(RJ45)	10/100Mbps
Wake-on-LAN	Yes
Wi-Fi	IEEE802.11a/b/g, 2.4G

## POWER

Power Requirements	100V~240V AC, 50/60Hz
Power Consumption	75W
Power Consumption(Standby)	0.5W
Ultra-Quiet Fanless Design	Yes

## ENVIROMENTAL

Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-10° to 60°C (-5°F to 131°F)
Operating Humidity	20% to 85% non-condensing humidity
Storage Humidity	10% to 60% non-condensing humidity


## PHYSICAL SPECIFICATIONS

Product Dimension	Body:971.8(W) x 570.8(H) x 60.7(D)mm Without wall mount bracket
Gross Weight	7.6Kg

## PACKED CONTENTS

Accessories	1 x Remote Controller, 1 x Wall Mount Bracket, 1 x Power Cable (Fixed With Device )
-------------	--

TECHNICAL DIAGRAM :



\* Note: we will not inform the modify or upgrade of products.

Unit:mm